

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/040,759	01/09/2002	Hyuck Jin Kwon	K-0369	2164
34610	7590 06/19/2006		EXAMINER	
FLESHNER & KIM, LLP			IQBAL, KHAWAR	
P.O. BOX 221200 CHANTILLY, VA 20153			ART UNIT	PAPER NUMBER
			2617	
			DATE MAILED: 06/19/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/040,759	KWON, HYUCK JIN				
Office Action Summary	Examiner	Art Unit				
•	Khawar Iqbal	2617				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period w  - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION  36(a). In no event, however, may a reply be ting  will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>01 M</u> .	av 2006					
	action is non-final.					
3) Since this application is in condition for allowar		osecution as to the merits is				
, —	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•					
4)⊠ Claim(s) <u>1-4,6-13,15-30 and 41-43</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
Claim(s) is/are allowed.						
<ul> <li>☐ Claim(s) is/are dilewed.</li> <li>☐ Claim(s) 1-4,6-13,15-30,41-43 is/are rejected.</li> </ul>						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
,	, o.					
Application Papers						
9) The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correcti	= : :	- ' '				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list of	s have been received. s have been received in Applicat ity documents have been receiv i (PCT Rule 17.2(a)).	ion No ed in this National Stage				
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal F 6)  Other:					

Application/Control Number: 10/040,759 Page 2

Art Unit: 2617

### **DETAILED ACTION**

## Reassignment Affecting Application Location

The Art Unit location of your application in the USPTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Art Unit 2617.

#### Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5-01-06 has been entered.

## Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1-4, 10,13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chern et al (20030060211) and further in view of Bloebaum et al (20020080063) and Hatano et al (20030088637) and Meadows et al (6716101).

Application/Control Number: 10/040,759 Page 3

Art Unit: 2617

3. Regarding claim 1 Chern et al teaches a method of providing a position-matched information service, comprising (fig. 2):

searching a database of information for content corresponding to a current location of a the mobile terminal determined by location tracking when information content is requested by the mobile terminal (para. # 0027, 0049, 0051); and transmitting the searched content to the mobile terminal (para. # 0027, 0051).

wherein the location tracking comprises: receiving an inherent number given to a base transceiver station controlling the mobile terminal and a tracking location of the mobile terminal from a network providing the mobile terminal with a mobile communication (para. # 0027, 0051, 0053, 0056-0065); and determining a place coinciding with the tracking location of the mobile terminal on the electronic map as the site of the mobile terminal (para. # 0027, 0051, 0053, 0056-0065). Chern et al does not specifically teach matching the received inherent number of the base transceiver station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained.

In an analogous art, Bloebaum et al teaches matching the received inherent number of the base transceiver station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained (para. # 0004, 0027-0030, 0035-0039). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al by specifically adding feature in order to enhance

system performance the geographic location of the mobile terminal is determined efficiently as taught by Bloebaum et al.

Chern et al teaches provided include map information; driving information; location information; location of retailers, goods, services, or other points of interest near the communication device; and any other information that may be useful or valuable to a user of the communication device. The device location is sent to a remote server that accesses and compiles the requested information and sends it back to the user via the communication device (para. # 0027). Chern et al and Bloebaum et al do not specifically teach the transmitted content including conversation multimedia relevant to the particular business, the particular building or the particular public place of the current of the mobile terminal.

In an analogous art, Hatano et al the transmitted content including conversation multimedia relevant to the particular business, the particular building or the particular public place of the current of the mobile terminal (figs. 8 and 10, para. # 0052-0055). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature in order to enhance system performance determined the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained and language conversational as taught by Hatano et al. Chern et al and Bloebaum et al and Hatano et al do not specifically teach tracking location of mobile terminal through carrying out on a continuous basis.

In an analogous art, Meadows et al teaches tracking location of mobile terminal through carrying out on a continuous basis (col. 7, lines 47-55). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature in order to enhance system performance determined the tracking location of the mobile terminal through carrying out on a continuous basis with an electronic map of the base transceiver station wherein the electronic map is previously retained and language conversational as taught by Meadows et al.

Regarding claim 10 Chern et al teaches a method of providing a positionmatched information service, comprising:

tracking a location of a specific mobile terminal (para. # 0027, 0049, 0051); registering a final location of the mobile terminal; searching a specific multimedia data stored in a memory that corresponds to the registered final location when the mobile terminal requests a multimedia service at the registered final location (para. # 0027, 0049, 0051); and transmitting the multimedia data to the mobile terminal (para. # 0027, 0049, 0051). wherein the tracking location comprises: receiving an inherent number given to a base transceiver station controlling the mobile terminal and a tracking location of the mobile terminal from a network providing the mobile terminal with a mobile communication (para. # 0027, 0051, 0053, 0056-0065); and determining a place coinciding with the tracking location of the mobile terminal on the electronic map as the site of the mobile terminal (para. # 0027, 0051, 0053, 0056-0065). Chern et al does not specifically teach matching the received inherent number of the base transceiver

station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained.

In an analogous art, Bloebaum et al teaches matching the received inherent number of the base transceiver station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained (para. # 0004, 0027-0030, 0035-0039). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al by specifically adding feature in order to enhance system performance the geographic location of the mobile terminal is determined efficiently as taught by Bloebaum et al. Chern et al teaches provided include map information; driving information; location information; location of retailers, goods, services, or other points of interest near the communication device; and any other information that may be useful or valuable to a user of the communication device. The device location is sent to a remote server that accesses and compiles the requested information and sends it back to the user via the communication device (para. # 0027). Chern et al and Bloebaum et al do not specifically teach the transmitted content including conversation multimedia relevant to the particular business, the particular building or the particular public place of the current of the mobile terminal.

In an analogous art, Hatano et al the transmitted content including conversation multimedia relevant to the particular business, the particular building or the particular public place of the current of the mobile terminal (figs. 8 and 10, para. # 0052-0055). Therefore, it would have been obvious to one of ordinary skill in the art at the time the

invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature in order to enhance system performance determined the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained and language conversational as taught by Hatano et al. Chern et al and Bloebaum et al and Hatano et al do not specifically teach tracking location of mobile terminal through carrying out on a continuous basis.

In an analogous art, Meadows et al teaches tracking location of mobile terminal through carrying out on a continuous basis (col. 7, lines 47-55). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature in order to enhance system performance determined the tracking location of the mobile terminal through carrying out on a continuous basis with an electronic map of the base transceiver station wherein the electronic map is previously retained and language conversational as taught by Meadows et al.

Regarding claim 2 Chern et al teaches wherein the information content comprises multimedia information content (para. # 0027, 0051, 0053).

Regarding claim 3 Chern et al teaches wherein the multimedia information comprises at least one of video, audio and text data (para. # 0027, 0051, 0053).

Regarding claims 4,13 Chern et al teaches wherein the multimedia information comprises at least one of a series of conversational phrases appropriate to the current location of the mobile terminal (para. # 0027, 0051, 0053, see claim 1).

4. Claims 41 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chern et al (20030060211) and further in view of Bloebaum et al (20020080063), Hatano et al (20030088637) and Meadows et al (6716101) and Leifer (6681109).

Page 8

Regarding claims 41 and 42 Chern et al teaches the wireless device sends a monitor request to a remote server and when conditions are met the system uses the server to determine if there is sufficient space for an advertisement and if there is generates the advertisement and appends it to the alert message. The alert message with the appended advertisement is then sent to the wireless device. Chern et al, Bloebaum et al and Hatano et al do not specifically teach terminal located within restaurant.

In an analogous art, Leifer teaches terminal located within restaurant (col. 2, lines 21-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al, Bloebaum et al and Hatano et al by specifically adding feature terminal located within restaurant in order to enhance system performance as taught by Leifer.

- 5. Claims 6,7-9,11-12,15-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chern et al (20030060211) and further in view of Bloebaum et al (20020080063) and Meadows et al (6716101) and Kesanupalli (6603837).
- 6. Regarding claims 18-22 Chern et al teaches a method of providing a positionmatched conversation service, comprising:

storing a plurality of phrases as multimedia data corresponding to a plurality of situations of a plurality of sites (para. # 0027, 0051-0053), respectively; determining a

Art Unit: 2617

location of a mobile terminal in accordance with a location tracking procedure when the mobile terminal requests an service (para. # 0027, 0051, 0053, 0056-0065); determining which one of the plurality of sites corresponds to the location of the mobile terminal (para. # 0027, 0051, 0053); and transmitting an language conversational multimedia phrase corresponding to the situation and site of the mobile terminal (para. # 0027, 0051, 0053); wherein the location tracking comprises: receiving an inherent number given to a base transceiver station controlling the mobile terminal and a tracking location of the mobile terminal from a network providing the mobile terminal with a mobile communication(para. # 0027, 0051, 0053, 0056-0065); and determining a place coinciding with the tracking location of the mobile terminal on the electronic map as the site of the mobile terminal (para. # 0027, 0051, 0053, 0056-0065). Chern et al does not specifically teach matching the received inherent number of the base transceiver station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained and English language conversational.

In an analogous art, Bloebaum et al teaches matching the received inherent number of the base transceiver station and the tracking location of the mobile terminal with an electronic map of the base transceiver station wherein the electronic map is previously retained (para. # 0004, 0027-0030, 0035-0039). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al by specifically adding feature in order to enhance system performance the geographic location of the mobile terminal is determined

Art Unit: 2617

efficiently as taught by Bloebaum et al. Chern et al and Bloebaum et al do not specifically teach English language conversational.

Chern et al and Bloebaum et al and Hatano et al do not specifically teach tracking location of mobile terminal through carrying out on a continuous basis.

In an analogous art, Meadows et al teaches tracking location of mobile terminal through carrying out on a continuous basis (col. 7, lines 47-55). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature in order to enhance system performance determined the tracking location of the mobile terminal through carrying out on a continuous basis with an electronic map of the base transceiver station wherein the electronic map is previously retained and language conversational as taught by Meadows et al.

In an analogous art, Kesanupalli teaches English language conversational (col. 18, lines 35-60, col. 19, line 51-col. 20-line 3). A Web server 402 is provided that serves users 114 with choices of different languages and that presents a user interface in a user's 114 language of choice. During the registration process with the domain multi-server, via the Internet 116, a user 114 specifies the locale of their choice by selecting from one of several locales supported by the Web server 402. A locale is a combination of a language code and a language country code. There could be more than one locale for a specific language. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of

Chern et al and Bloebaum et al by specifically adding feature English conversational services provider in order to enhance system performance as taught by Kesanupalli.

Regarding claims 6-9,11,12,15-17 Chern et al teaches location based information retrieval system and method for wireless communication devices. A position determination system is included with the wireless communication device to allow the location of the device to be determined. The location of the device can be used to provide additional information or features to a user of the wireless communication device and the information that may be provided include map information; driving information; location information; location of retailers, goods, services, or other points of interest near the communication device; and any other information that may be useful or valuable to a user of the communication device. Handset 130 communicates with a server 136 and database 138 over a wireless network 140. In method 600, a web site maintained on server 136 handles user requests for information. The web site includes a "services home page" that serves as an index to the available information services. Handset 130 is equipped with an Internet browser or mini browser program that accesses server 136 via network 140 and pulls the services home page to handset 130. The home page is displayed on the handset display 108 (para. # 0027, 0051, 0053).

Chern et al and Bloebaum et al do not specifically teach English language conversational.

In an analogous art, Kesanupalli teaches English language conversational (col. 18, lines 35-60, col. 19, line 51-col. 20-line 3). Therefore, it would have been obvious to

Art Unit: 2617

one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al and Bloebaum et al by specifically adding feature English conversational services provider in order to enhance system performance as taught by Kesanupalli.

7. Claim 43 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chern et al (20030060211) and further in view of Bloebaum et al (20020080063), Kesanupalli (6603837) and Leifer (6681109).

Regarding claim 43 Chern et al, Bloebaum et al and Kesanupalli do not specifically teach terminal located within restaurant.

In an analogous art, Leifer teaches terminal located within restaurant (col. 2, lines 21-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Chern et al Bloebaum et al by specifically adding feature terminal located within restaurant in order to enhance system performance as taught by Leifer.

- 8. Claims 23-30 rejected under 35 U.S.C. 103(a) as being unpatentable over Kawase (6600919) and further in view of Leifer (6681109) and Rao et al (6865261).
- 9. Regarding claim 23 Kawase teaches a method of providing a position-matched English conversation service, comprising (figs. 1-11):

storing a plurality of English conversational multimedia phrases relating to a plurality of conversations (col. 4, lines 15-67); determining a present location of a mobile terminal when an English conversation service is requested from the mobile terminal (col. 4, lines 15-67); and a selected one of the plurality of the related English conversational multimedia phrases to the mobile terminal when it is determined that the

Art Unit: 2617

present location of the mobile terminal (col. 4, lines 15-67). Kawase teaches the ID code of a country in which user exists, is acquired from the base station by an acquisition unit. A functional modification unit changes the process function corresponding to each country automatically based on the acquired ID code.

Regarding claims 24-30 Kawase teaches English conversational multimedia phrases are classified into a first situation multimedia data, a second situation multimedia data used, and wherein the classified first, second, and third situation multimedia data are transmitted to the mobile terminal in a single data stream (col. 4, lines 15-67, see claim 23). Kawase does not specifically teach terminal located within restaurant, ordering meal dining at restaurant.

In an analogous art, Leifer teaches terminal located within restaurant (col. 2, lines 21-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Kawase by specifically adding feature terminal located within restaurant in order to enhance system performance as taught by Leifer. Kawase and Leifer do not specifically teach transmitting a selected one of the plurality of the related English conversational multimedia phrases to the mobile terminal.

In an analogous art, Rao et al teaches teach transmitting a selected one of the plurality of the related English conversational phrases to the mobile terminal (col. 7, lines 35-53). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Kawase and Leifer by specifically adding feature transmitting a selected one of the plurality of the related

English conversational multimedia phrases to the mobile terminal and terminal located within restaurant in order to enhance system performance as taught by Rao et al.

## Response to Arguments

Applicant's arguments with respect to claims 1-4,6-13,15-30,41-43 have been considered but are most in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khawar Iqbal whose telephone number is 571-272-7909.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Joseph H. Feild can be reached on (571) 272-4090. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

I,K

SUPERVISORY PATENT EXAMINED